Subject Index

AC impedance measurements on high copper dental amalgams, 425
Accelerated oxide growth in titanium implants during autoclaving caused by fluorine contamination, 23
Acetabular prostheses, sterilized polyethylene, fluid-sorption phenomena in, 184
Acoustic emission and mechanical properties of trabecular bone, 218
Acrylic dentures broken in service, the fracture topography of, 110
Acrylic polymers, drug release from, via channels and cracks: *In vitro* studies with hydrocortisone, 281
Added synthetic hydroxyapatite, setting properties of bone cement with, 55
Adhesion *see* Cellular 396
Interaction 403
Adsorption on hydrogels, use of ellipsometry to study, 33
Adsorption, protein, on polycarbonate, changes in, due to L-ascorbic acid, 416
Adsorption, oxy- and deoxyhaemoglobin, onto glass and polymer surfaces, 231
Alginate solutions, stability of some soluble, 68
Alloys, selective dissolution of AuCu and AuAg, *in vitro* and *in vivo*, 393
Alloys *see* Ceramic, 133
Dental, 169
Titanium, 252
Amalgam surface, a model for recording mercury release from an, 357
Amalgams *see* Dental amalgams, 49, 425
An *in vitro* model for testing biocompatibility of endodontic materials to bone, 427
Anticomplementary activity of dextran derivatives, 61
Application of a vascular graft material (Solcograft-P) in experimental surgery, 303
Arterial graft, four types of knitted Dacron, in an artificial circulation, comparison of the thrombogenicity, 64
Arterial prosthesis, a compound, the importance of the sterilization procedure on the healing and stability of albuminated polyester, 122
Arthroplasty, surface, use of meniscal fibrocartilage as a, to effect the repair of osteochondral defect: An experimental study, 161
Artificial encapsulation of joint prostheses, 208
L-ascorbic acid, changes in adsorption on polycarbonate due to, 416
Biocompatibility of endodontic materials to bone, an *in vitro* model for testing, 427
Biocompatibility testing of prosthetic implant materials by cell culture, 346
Bioreactions at the tissue hydroxyapatite interface, 243
Bonding of corroded ions in human saliva, 146
Bone, an *in vitro* model for testing biocompatibility of endodontic materials to, 427
Bone and porous ceramic root implants in the guinea pig incisor socket, shear strength between, 75
Bone cement with added synthetic hydroxyapatite, setting properties of, 55
Bone dissolution by excessive fluoride in acidic buffer solution, promotion of, 277
Bone implants, interface analysis of titanium and zirconium, 97
Bone microstructure by collagenase etching, 150
Bone, scanning electron microscopy study of the interface between ceramics and, 269
Bone tissue, interaction of biodegradable β-whitlockite ceramics with, an *in vivo* study, 189
Bone, trabecular, acoustic emission and mechanical properties of, 218
Burn dressings, principles of, 369
Burn wound covering, laminates composed of polypeptides and elastomers as a, physicochemical properties, 290
Carbon fibre, the use of short, reinforced thermoplastic plates for fracture fixation, 113
Cardiac pacing leads in humans: Insulation measurements and SEM observations, 28
Cell culture, biocompatibility testing of prosthetic implant materials by, 346
Cell differentiation, muscle, *in vitro*, poly (2-hydroxyethyl methacrylate) collagen composites which promote, 192
Cells, interaction of cultured human endothelial, with polymeric surfaces of different wettabilities, 403
Cellular interactions with synthetic polymer surfaces in culture, 396
Cement *see* Bone, 55
Dental, 41, 378
Glass-ionomer, 431
Ceramic fusing alloys, the structure and oxidation of two palladium, 133
Ceramic root implants, porous, shear strength between bone and, in the guinea pig incisor socket, 75
Ceramics, β-whitlockite, interaction of biodegradable, with bone tissue: An *In vivo* study, 189
Ceramics and bone, scanning electron microscopy study of the interface between, 269
Changes in protein adsorption on polycarbonate due to L-ascorbic acid, 416
Chlorosulphonated polyethylene with poly(amido-amine) segments, heparinizable graft copolymers from, 273
Chromium concentrations in serum, blood clot and urine from patients following total hip arthroplasty, 2
Collagenase etching, bone microstructure by, 150
Collagen composites, poly(2-hydroxyethyl methacrylate), which promote muscle cell differentiation *in vitro*, 193
Colour stability and visual preception of dimethacrylate based dental composition resins, 257
Comparison of RCH 1000 and Hi-Fax 1900 ultra-high molecular weight polyethylenes, 177
Comparison of the thrombogeniaty of four types of knitted Dacron arterial graft in an artificial circulation, 64
Compound arterial prosthesis: the importance of the sterilization procedure on the healing and stability of albuminated polyester grafts, 122
Contact lens surface, soft, reversible and irreversible interactions between lysozyme and, Protein adsorption on hydrogels, 338
Controlled release of fluoride in connection with dental composite resins, 383
Copper dental amalgams, AC impedance measurements on high, 425
Copper *see* titanium, 252
alloys, 393
Corroded ions to human saliva, binding of, 146
Corrosion of a stainless steel with low nickel content under static conditions, 265
Culture, cellular interactions with synthetic polymer surfaces in, 396
Cyclic oligomers produced by steam sterilization on polyethylene terephthalate, Letter, 141
Dacron *see* Arterial, 64
Dental alloys, *in vitro* and *in vivo* biological responses to some, tested separately and in combinations, 169
Dental amalgams, fatigue characterization of nine, 49
and *see* impedance measurements, 425
Dental cements, an *in vitro* study of zinc in dentine beneath cavities filled with two, 41
Dental cements, dissolution mechanisms of silicate and glass-ionomer, 378
Dental composite resins, controlled release of fluoride in connection with, 383
Dental composition resins, dimethacrylate based, colour stability and visual perception of, 257
Dental restorative materials, structure and properties of methacrylate based, 362
Dental *see* Endodontic, 129, 427
Dentures broken in service, acrylic, fracture topography of, 110
Dissolution mechanism of silicate and glass-ionomer dental cements, 378
Dextran derivatives, anticomplementary activity of, 61
Dimethacrylate based dental composition resins, colour stability and visual perception of, 257
Drug release from acrylic polymers via channels and cracks: *In vitro* studies with hydrocortisone, 281
Drug targeting, potential and limitations of, 153
Effect of steam sterilization on polyethylene terephthalate, Letter, 141
Effects of thermal treatment on the structure and the biomedical properties of polyetherurethane film containing dipeptides of L-serine, 325
Elastomeric prosthetic materials, reaction of oral soft tissues to three, using a mucosal contact method, 389
Electrodes, platinum intracochlear, scanning electron microscopy of chronically stimulated, 237
Ellipsometry to study adsorption on hydrogels, 33
Encapsulation of joint prostheses, artificial, 208
Endodontic materials to bone, an *in vitro* model for testing biocompatibility of, 427
Endodontic sealers, mutagenicity of, 129
Ethylene oxide, polymers exposed to, infrared spectroscopic study of, 225
Fatigue characterization of nine dental amalgams, 49
Fluid-sorption phenomena in sterilized polyethylene acetabular prostheses, 184
Fluoride and other chemical species, release of, from a glass-ionomer cement, 431
Fluoride, controlled release of, in connection with dental composite resins, 383
Fluoride, excessive, in acidic buffer solution, promotion of bone dissolution by, 277
Fluorine contamination, accelerated oxide growth on titanium implants during autoclaving caused by, 23
Fracture fixation, the use of short carbon fibre reinforced plates for, 113
Fracture topography of acrylic dentures broken in service, 110
Glass-ionomer cement, release of fluoride and other chemical species from a, 431
Glass-ionomer dental cements, dissolution mechanisms of silicate and, 378
Gold *see* Alloys, 393
Granulocyte adhesion, reversibility of, using polyamine-grafted nylon-6 as a new column substrate for granulocyte separation,
Haemoperfusion through deferoxamine-conjugated agarose-polyacrolein microsphere beads, iron detoxification by, 9
Heparin-like activitiy of insoluble sulphonate polystyrene resins Part 1: Influence of the surface density, nature and binding of substituted anionic groups, 297
Heparinizable graft copolymers from chlorosulphonated polyethylene with poly(amido-amine) segments, 273

Heparinizable materials (IV). Surface-grafting on poly(ethylene terephthalate) of heparin-complexing poly(amido-amine) chains, 102
Histopathological response to Ti-13% Cu casting alloys, preliminary studies of, 252
Hydrocortisone, *in vitro* studies with, drug release from acrylic polymers via channels and cracks, 281
Hydrogels, protein adsorption on, II. Reversible and irreversible interactions between lysozyme and soft contact lens surface, 338
Hydrogels, use of ellipsometry to study adsorption on, 33
Hydroxyapatite interface, tissue, biointeractions the, 243
N-(2-hydroxypropyl) methacrylamide copolymers, stability in rat plasma and serum of lysosmally degradable oligopeptide sequences in, 45
Impedance measurements, AC, on high copper dental amalgams, 425
Implantation, effects of, on the mechanical properties of the polyurethane diaphragm of left ventricular assist devices, 82
Implant effects on polyurethane and silicone cardiac pacing leads in humans: Insulation measurements and SEM observations, 28
Infrared spectroscopic study of polymers exposed to ethylene oxide, 225
Interaction of biodegradable β-whitlockite ceramics with bone tissues: An *in vivo* study, 189
Interaction of cultured human endothelial cells with polymeric surfaces of different wettabilities, 403
Interactions of cells with natural and foreign surfaces: conference report, 140
Interface analysis of titanium and zirconium bone implants, 97
In vitro and *in vivo* biological responses to some dental alloys tested separately and in combinations, 169
In vitro study of zinc in dentine beneath cavities filled with two dental cements, 41
Iron detoxification by haemoperfusion through deferoxamine-conjugated agarose-polyacrolein microsphere beads, 9
Laminates composed of polypeptides and elastomers as a burn wound covering: Physicocemical properties, 209
Left ventricular assist devices, effects of implantation on the mechanical properties of the polyurethane diaphragm of, 82
Light and transmission electron microscopy used to study the tissue morphology close to implants, 421
Mercury release from an amalgam surface, a model for recording, 357
Metal ions in tissue culture, pH shifts and precipitation associated with, 89
Methacrylate based dental restorative materials, structure and properties of, 362
Microsphere beads, deferoxamine-conjugated agarose-polyacrolein, iron detoxification by haemoperfusion through, 9
Model for recording mercury release from an amalgan surface, 357
Mould release agent, sodium alginate as a, 138
Mucosal contact method, reaction of oral soft tissues to three elastomeric prosthetic materials, using a, 389
Mutagenicity of endodontic sealers, 129
Nickel content, corrosion of a stainless steel with low, under static conditions, 265
Non-epidermally induced failure modes of percutaneous devices, 352
Oral soft tissues, reaction of, to three elastomeric prosthetic materials, using a mucosal contal method, 389
Osteochondral defects, use of meniscal fibrocartilage as a surface arthroplasty to effect the repair of, An experimental study, 161
Oxy- and deoxyhaemoglobin adsorption onto glass and polymer surfaces, 231
Palladium ceramic fusing alloys, the structure and oxidation of two, 133
Percutaneous devices, non-epidermally induced failure modes of, 352
pH shifts and precipitation associated with metal ions in tissue culture, 89
Platinum intracochlear electrodes, scanning electron microscopy of chronically stimulated, 237
Poly (amido-amine) chains, surface-grafting on poly(ethylene terephthalate) of heparin-complexing, heparinizable materials (IV), 102
Poly (amido-amine) segments, chlorosulphonated polyethylene with, heparinizable graft copolymers from, 273
Polyamine-grafted nylon-6 as a new column substrate for granulocyte separation, reversibility of granulocyte adhesion using, 409
Polycarbonate, changes in adsorption on, due to L-ascorbic acid, 416
Polyester grafts, the importance of the sterilization procedure on the healing and stability of albuminated, a compound arterial prosthesis, 122
Polyethylene acetabular prosthese, fluid-sorption phenomena in sterilized, 184
Poly (ethylene terephthalate) surface-grafting on, of heparin-complexing poly(amido-amine) chains, heparinizable materials (IV), 102
Polyetherurethane film containing dipeptides of L-serine, effect of thermal treatment on the structure and the biomedical properties of,325
Polyetherurethanes containing L-serine dipeptide, synthesis of, and their use as materials for biomedical films, 312
Poly-α, β-[N(2-hydroxy-ethyl)-D, L-aspartamide] (PHEA) *see* retention
Poly (2-hydroxyethyl methacrylate) collagen composites which promote muscle cell differentiation *in vitro*, 193
Polymeric surfaces of different wettabilities, interaction of cultured human endothelial cells with, 403
Polymer surfaces in culture, cellular interactions with synthetic, 396
Polypeptides and elastomers, laminates composed of, as a burn wound covering: Physicochemical properties, 290
Polystyrene resins, heparin-like activity of insoluble sulphonated, Part 1: Inluence of the surface density, nature and binding of substituted anionic groups, 297
Polyurethane diaphragm of left ventricular assist devices, effects of implantation on the mechanical properties of the, 82
Potential and limitations of drug targeting: An overview, 153
Precipitation, pH shifts and, associated with metal ions in tissue culture, 89
Preliminary studies of histopathological responses to Ti-13% Cu casting alloys, 252
Principles of burn dressings, 369
Promotion of bone dissolution by excessive fluoride in acidic buffer solution, 277
Prostheses, artificial encapsulation of joint, 208
Prosthesis, a compound arterial, the importance of the sterilization procedure on the healing and stability of albuminated polyester grafts, 122
Prosthetic implant materials, biocompatibility testing of, by cell culture, 346
Prosthetic replacement of large defects in the cervical trachea in dogs, 17
Protein, adsorption on hydrogels. II. Reversible and irreversible interactions between lysozyme and soft contact lens surface, 338
Protein adsorption on polycarbonate, changes in, due to L-ascorbic acid, 416
Rapid quantitative method based on motility of bull sperm cells for *in vitro* toxicity testing of biomaterials, 105
Reaction of oral tissues to three elastomeric prosthetic materials, using a mucosal contact method, 389
Release of fluoride and other chemical species from a glass-ionomer cement, 431
Retention and biliary excretion of poly-α,β-[N(2-hydroxy-ethyl)-D, L-aspartamide] (PHEA) and its tyramine derivative (PHEA-Tyr) by isolated perfused rat liver. The role of molecular weight and chemical structure, 203
Reversibility of granulocyte adhesion using polyamine-grafted nylon-6 as a new column substrate for granulocyte separation, 409
Scanning electron microscopy of chronically stimulated platinum intracochlear electrodes, 237
Scanning electron microscopy study of the interface between ceramics and bone, 269
SEM observations, insulation measurement and, implant effects on polyurethane and silicone cardiac pacing leads in humans, 28
Sealers, mutagenicity of endodontic, 129
Selective dissolution of AuCu and AuAg alloys *in vitro* and *in vivo*, 393
Setting properties of bone cement with added synthetic hydroxyapatite, 55
Shear strength between bone and porous ceramic root implants in the guinea pig incisor socket, 75
Short carbon fibre reinforced thermoplastic plates for fracture fixation, 113
Silicate and glass-ionomer dental cements, dissolution mechanisms of, 000
Silver *see* Alloys, 393
Sodium alginate as a mould release agent, 138
Solcograft-P *see* Vascular graft
Sperm cells, motility of bull, a rapid quantitative method based on, for *in vitro* toxicity testing of biomaterials, 105
Stability in rat plasma and serum of lysosomally degradable oligopeptide sequences in N-(2-hydroxypropyl) methacrylamide copolymers, 45
Stability of some soluble alginate solutions, 68
Stainless steel, corrosion of, with low nickel content under static conditions, 265
Sterilization procedure, the importance of the, on the healing and stability of albuminated polyester grafts, a compound arterial prosthesis, 122
Sterilization *see* Ethylene oxide, 225
Structure and oxidation of two palladium ceramic fusing alloys, 133
Structure and properties of methacrylate based dental restorative materials, 362
Surfaces, glass and polymer, oxy- and deoxyhaemoglobin adsorption onto, 231
Surfaces, polymer, in culture, cellular interactions with synthetic, 396
Surfaces, polymeric, of different wettabilities, interaction of cultured human endothelial cells with, 403
Synthesis of polyetherurethanes containing L-serine dipeptide and their use as materials for biomedical films, 312
Thrombogenicity of four types of knitted Dacron arterial graft in an artificial circulation, comparison of the, 64
Tissue morphology close to implants, light and transmission electron microscopy used, 421
Titanium-13% Cu casting alloys, preliminary studies of histopathological responses to, 252
Titanium and zirconium bone implants, interface analysis of 97
Titanium implants, accelerated oxide growth on, during autoclaving caused by fluorine contamination, 23
Total hip arthroplasty, chromium concentrations in serum, blood clot and urine from patients following, 2

Toxicity testing of biomaterials, a rapid quantitative method based on motility of bull sperm cells for *in vitro*, 105
Trachea, cervical, in dogs, prosthetic replacement of large defects in the 17
Transmission electron microscopy used to study morphology close to implants, light and, 421
Tyramine derivatives (PHEA-Tyr) *see* Retention
Ultra-high molecular weight polyethylenes, comparison of RCH 1000 and Hi-Fac 1900, 177
Use of meniscal fibrocartilage as a surface arthroplasty to effect the repair of osteochondral defects: An experimental study, 161
Vascular graft material (Sologratt-P) in experimental surgery, application of a, 303
Water content *see* Cellular, 396
Wettabilities, polymeric surfaces of different, interaction of cultured human endothelial cells with, 403
Zinc in dentine beneath cavities filled with two dental cements, *in vitro* study, 41
Zirconium bone implants, interface analysis if titanium and, 97

Author Index

Acsáday, G.: *see* Nemes, A., 303
Adam, M.: *see* Stol, M., 193
Aiba, S.I., Minoura, N., Fujiwara, Y., Yamada, S. and Makagawa, T. Laminates composed of polypeptide and elastomers as a burn wound covering: Physicochemical properties, 290
Albrektsson, T., Hansson, H-A. and Ivarsson, B.: Interface analysis of titanium and zirconium bone implants, 97
Anderson, J.M.: *see* Castillo, E.J., 346
Andrade, J. D.: *see* Chen, J., 225
Andreopoulos, A.G.: Sodium alginate as a mould release agent, 138
see Polyzois, G.L., 68
Ashton, B.A.: *see* Williams, K.R., 269
Atkinson, P.J., Seedhom, B.B. and Roberts, E.W.: The shear strength between bone and porous ceramic root implants in the guniea pig incisor socket, 75
Awad, J.: *see* Guidoin, R., 122
Bantjes, A.: *see* van Wachem, P.B., 407
Barbaro, V., Bosi, C., Caiazza, S., Chistolini, P., Ialongo, D. and Rosa, P.: Implant effects on polyurethane and silicone cardiac pacing leads in humans: Insulation measurements and SEM observations, 28
Barbucci, R., Benvenuti, M., Casini, G., Ferruti, P. and Tempesti, F.: Heparinizable materials (IV). Surface-grafting on poly(ethylene terephthalate) of heparin complexing poly(amido-amine) chains, 102
Barozzi, C.: *see* Tanzi, M.C., 273
Bartolozzi, A and Black, J.: Chromium concentrations in serum, blood clot and urine from patients following total hip arthroplasty, 2
Bayne, S.C.: *see* Zardiackas, L.D., 49
Beech, D.R.: *see* Cook, W.C., 362
Benvenuti, M.: *see* Barbucci, R., 102
Berger, G.: *see* Petzoldt, R., 105
Beugeling, T.: *see* van Wachem, P.B., 407
Black, J.: *see* Bartolozzi, A., 2
Blaney, A.W.: *see* Williams, K.R., 269
Blok-van-Hoek, C.J.G.: *see* van Blitterswijk, C.A., 243
Bosi, C.: *see* Barbaro, V., 28
Botzko, K.: *see* Guidoin, R., 122
Braden, M.: *see* Pearson, G.J., 389
Brook, I.M. and van Noort, R. Drug release from acrylic polymers via channels and cracks: *In vitro* studies with hydrocortisone, 281
Brown, E.L.: *see* Bundy, K.J., 89
Brown, S.A.: *see* Gillett, N., 113
Browne, R.M., Tobias, R.S., Wilson, S.J. and Tyas, M.J.: An *in vitro* study of zinc in dentine beneath cavities filled with two dental cements, 41
Brune, Dag, A model for recording mercury release from an amalgum surface, 357
Brune, D. and Hultquist, G. Corrosion of a stainless steel with low nickel content under static conditions, 265
Bundy, K J., Kelly, R.G., Brown, E.L. and Delahunty, C.M.: pH shifts and precipitation associated with metal ions in tissue culture, 89
Caiazza, S.: *see* Barbaro, V., 28
Casini, G.: *see* Barbucci, R., 102
see Tanzi, M.C., 273
Castaldini, A. and Cavallini, A.: Setting properties of bone cement with added synthetic hydroxyapatite, 55
Castillo, E.J., Koenig, J.L., Anderson, J.M. and Lo, J. Protein adsorption on hydrogels. II. Reversible and irreversible interactions between lysozyme and soft contact lens surface, 338
Cavallini, A.: *see* Castaldini, A. 55
Chandy, T. and Sharma, C.P. Changes in protein adsorption on polycarbonate due to L-ascorbic acid, 415
Chen, J., Andrade, J.D. and VanWagenen, R.A. Oxy- and deoxyhaemoglobin adsorption onto glass and polymer surfaces, 225
Chistolini, P.: *see* Barbaro, V., 28
Chong, M.P.: *see* Cook, W.D., 257
Ciapetti, G.: *see* Pizzoferrato, A., 346
Clark, G.M.: *see* Shepherd, R.K., 237
Clarke, I.C., Starkebaum, W., Hosseinian, A., McGuire, P., Salovey, R., Okuda, R. and Young, R. Fluid-sorption phenomena in sterilized polyethylene acetabular prostheses, 184
Cook, W.D., Beech, D.R. and Tyard, M.J. Structure and properties of methacrylate based dental restorative materials, 362
Cook, W.D. and Chong, M.P. Colour stability and visual perception of dimethacrylate based dental composition resins, 257
Courtney, J.M.: *see* Quinn, K.J., 369
Crow, M.J.: *see* Deacon, P., 64
Daems, W. Th.: *see* van Blitterswijk, C.A., 243
Deacon, P., Crow, M.J., Rajah, S.M. and Kester, R.C.: Comparison of the thrombogenicity of four types of knitted Dacron arterial graft in an artificial circulation, 64
de Groot, K.: *see* Klein, C.P.A.T., 189
Delahunty, C.M.: Bundy, K.J., 89
Detmers, J.P.: *see* van Wachem, P.B., 407
Driessen, A.A.: Klein, C.P.A.T., 189
Drobnik, J.: *see* Rypacek, F., 203
Dumbleton, J.H.: *see* Gillett, N., 113
Duncan, R.: *see* Rejmanova, R., 45
Ellis, B.: *see* Lamb, D.J., 100
Ericson, L.E.: *see* Thomsen, P., 421
Evans, J.H.: *see* Quinn, K.J., 369
Feijen, J.: *see* van Wachem, P.B., 407
Feldman, D.S. and von Recum, A.F. Non-epidermally induced failure modes of percutaneous devices, 352
Ferrara, R.: *see* Tanzi, M.C., 273
Ferruti, P.: *see* Barbucci, R., 102
Fischer, A.M., Mauzac, M., Tapon-Bretaudiere, J. and Josefonvicz, J. Anticoagulant activity of dextran derivatives. Part 11: Mechanism of thrombin inactivation, 198
Fraefel, W.: *see* Nemes, A., 303
Frootko, N.J.: *see* Williams, K.R., 269
Fujiwara, Y.: *see* Aiba, S.I., 290
Gardiner, C.R. Potential and limitations of drug targeting: An overview, 153
Gaylor, J.D.S.: *see* Quinn, K.J., 369
Gillett, N., Brown, S.A., Dumbleton, J.H. and Pool, R.P.: The use of short fibre reinforced thermoplastic plates for fracture fixation, 113
Gosselin, C.: *see* Guidoin, R., 122
Green, M., Issac, D.H. and Jenkins, G.M. Bone microstructure by collagenase etching, 150
Groffman, M.D.: *see* Wilson, A.D., 431
Grote, J.J.: *see* van Blitterswijk, C.A., 243
Guidoin, R., Snyder, R., King, M., Martin, L., Botzko, K., Awad, J., Marios, M. and Gosselin, C.: A compound arterial prothesis: the importance of the sterilization procedure the healing and stability of albuminated polyester grafts, 122
Habal, M.: *see* Leake, D., 17
Hanel, B.: *see* Keller, J.C., 252
Hansson, H-A.: *see* Albrektsson, T., 97
Hansson, S.: *see* Lausmaa, J., 23
Hayashi, K., Matsuda, T., Takano, H., Umezu, M., Taenaka, Y. and Nakamura, T.: Effects of implantation on the mechanical properties of the polyurethane diaphragm of left ventricular assist devices, 82
Heatley, F.W. and Revell, W.J. The use of meniscal fibrocartilage as a surface arthroplasty to effect the repair of osteochondral defects: an experimental study, 161
Hensten-Pettersen, A.: *see* Syrjanen, S., 169
Herø, H., Hultquist, G. and Oden, A. Selective dissolution of AuCu and AuAg alloys *in vitro* and *in vivo*, 393
see Suoninen, E., 133
Hongslò, J.K.: *see* Ørstavik, D., 129
Horowitz, D., Margel, S. and Shimoni, T.: Iron toxification by haemoperfusion through deferoxamine-conjugated agarose-polyacrolein microsphere beads, 9
Housseinian, A.: *see* Clarke, I.C., 177
Houghton, M.E.: *see* Shepherd, R.K., 237
Hultquist, G.: *see* Brune, D., 265
see Herø, H., 393
Ialongo, D.: *see* Barbaro, V., 28
Imanishi, Y.: *see* Mori, A., 325
see Sosa, K., 321
Isaac, D.H.: *see* Green, M., 150
Ito, T.: *see* Mori, A., 325
Ivarsson, B.: *see* Albrektsson, T., 97
Jenkins, G.M.: *see* Green, M., 150
Josefonvicz, J.: *see* Fischer, A.M., 198
see Mauzac, M., 61
Josefowicz, M.: *see* Kanmangne, F.M., 297
Kangansniem, K.: *see* Syrjanen, S., 169
Kanmangne, F.M., Labarre, D., Serne, H. and Josefowicz, M. Heparin-like activity of insoluble sulphonated polystyrene resins Part 1: Influence of the surface density, nature and binding of substituted anionic groups, 297
Karge, M.: *see* Petzoldt, R., 105
Kasemo, B.: *see* Lausmaa, J., 23
Kataoka, K.: *see* Yui, N., 409
Kazatchkine, M.D.: *see* Mauzac, M., 61
Keller, J.C., Young, F.A. Marcinak, C.F. and Hanel, B. Preliminary studies of histopathological reponse to Ti-13% Cu casting alloys, 252

Kelly, R.G.: *see* Bundy, K.J., 89
Kester, R.C.: *see* Deacon, P., 64
King, M.: *see* Guidoin, R., 122
Klein, C.P.A.T., de Groot, K., Driessen, A.A. and van der Lubbe, H.B.M. Interaction of biodegradable β-whitlockite ceramics with bone tissue: An *in vitro* study, 189
Koenig, J.L.: *see* Castillo, E.J., 346
Kopecek, J.: *see* Rejmanova, R., 45
Kuhn, A.T. and Wilson, A.D. Dissolution mechanisms of silicate and glass-isonomer dental cements, 378
see Wilson, A.D., 431
Kuypers, W.: *see* van Blitterswijk, C.A., 243
Kvetina, J.: *see* Rypacek, F., 203
Labarre, D.: *see* Kanmangne, F.M., 297
Lamb, D.J., Ellis, B. and van Noort, R.: The fracture topography of acrylic dentures broken in service, 110
Lausmaa, J., Kasemo, B. and Hansson, S.: Accelerated oxide growth on titanium implants during autoclaving caused by fluorine contamination, 23
Leake, D., Habal, M., Pizzoferrato, A. and Vespucci, A.: Prosthetic replacement of large defects in the cervical trachea in dogs, 17
Lemaitre, L., Moors, M. and van Peteghem, A.P. AC impedance measurements on high copper dental amalgams, 425
Lloyd, J.B.: *see* Rejmanova, R., 45
Lichti, H.: *see* Nemes, A., 303
Light, D.: *see* Weightman, B., 177
Lo, J.: *see* Castillo, E.J., 346
Lofts, P.F., Nair, P.D. and Screenivasan, K.: Effect of steam sterilization on polyethylene terephthalate, Letters, 141
Lydon, M.J., Minett, T.W. and Tighe, B.J. Cellular interactions with synthetic polymer surfaces in culture, 396
Maillet, F.: *see* Mauzac, M., 61
Marcinak, C.F.: *see* Keller, J.C., 252
Margel, S.: *see* Horowitz, D., 9
Marios, M.: *see* Guidoin, R., 122
Martin, L.: *see* Guidoin, R., 122
Matsuda, K.: *see* Hayashi, K., 82
Mauzac, M., Maillet, F., Josefonvicz, J. and Kazatchkine, M.D.: Anticomplementary activity of dextran derivatives, 61
Mauzac, M.: *see* Fischer, A.M., 198
McGuire, P.: *see* Clarke, I.C., 177
Miller, D.R. and Peppas, N.A.: The use of ellipsometry to study adsorption on hydrogels, 33
Minett, T.W.: *see* Lydon, M.J., 396
Minoura, M.: *see* Aiba, S.I., 290
Monos, E.: *see* Nemes, A., 303
Moors, M.: *see* Lemaitre, L., 425
Mori, A., Imanishi, Y., Ito, T. and Sakaoku, K. Effect of thermal treatment on the structure and the biomedical properties of polyetherurethane film containing dipeptides of L-serine, 325
see Sosa, K., 312
Mueller, J.H. Binding of corroded ions to human saliva, 146
Murphy, W. An *in vitro* model for testing the biocompatibility of endodontic materials to bone, 427
Murray, M.T.: *see* Shepherd, R.K., 237
Nakagawa, T.: *see* Aiba, S.I., 290
Nakamura, T.: *see* Hayashi, K., 82
Nemes, A., Acsáday, G., Fraefel, W., Lichti, H., Monos, E., Oerti, R., Somogyi, E. and Sotonyi, P. Applications of a vascular graft material (Solcograft-P) in experimental surgery, 303
Oerti, R.: *see* Nemes, A., 303
Oden, A.: *see* Herø, H., 393
Ogata, N.: *see* Yui, N., 409
Okano, T.: *see* Yui, N., 409
Okazaki, M., Ophaug, R.H. and Singer, L. Promotion of bone dissolution by excessive fluoride in acidic buffer solution, 277
Okuda, R.: *see* Clarke, I.C., 177
Ophaug, R.H.: *see* Okazaki, M., 277
Ørstavik, D. and Hongslo, J.K.: Mutagenicity of endodontic sealers, 129
Pearson, G.J., Picton, D.C.A. and Braden, M. Reaction or oral soft tissues to three elastomeric prosthetic materials, using a mucosal contact method, 389
Peppas, N.A.: *see* Miller, D.R., 33
Petzoldt, R., Wolf, H., Reefschlager, J., Karge, M. and Berger, G.: A rapid quantitative method based on motility of bull sperm cells for *in vitro* toxicity testing of biomaterials, 105
Picton, D.C.A.: *see* Pearson, G.J., 389
Pizzoferrato, A., Vespucci, A., Ciapetti, G. and Stea, S. Biocompatibility testing of prosthetic implant materials by cell culture, 346
see Leake, D., 17
Polyzois, G.L. and Andreopoulos, A.G.: Stability of some soluble alginate solutions, 68
Pool, R.P.: *see* Gillett, N., 113
Quinn, K.J., Courtney, J. M., Evans, J.H., Gaylor, J.D.S. and Reid, W.H. Principles of burn dressings, 369
Rajah, S.M.: *see* Deacon, P., 64
Rawlings, R.D.: *see* Wells, J.G., 218
Reefschlager, J.: *see* Petzoldt, R., 105
Reid, W.H.: *see* Quinn, K.J., 369
Rejmanova, P., Kopecek, J., Duncan, R. and Lloyd, J.B.: Stability in rat plasma and serum of lysosomally degradable oligopeptide sequences in N-(2-hydroxypropyl) methacrylamide copolymers, 45
Revell, W.J.: *see* Heatley, F.W., 161
Roberts, E.W.: *see* Atkinson, P.J., 75
Rosa, P.: *see* Barbaro, V., 28
Rypacek, F., Sramek, B., Drobnik, J. and Kvetina, J. Retention and biliary excretion of poly-α,β-[N(2-hydroxy-ethyl)-D, L-aspartamide] (PHEA) and its tyramine derivative (PHEA-Tyr) by isolated perfused rat liver. The role of molecular weight and chemical structure, 203
Saalman, E. Infrared spectroscopic study of polymers exposed to ethylene oxide, 225
Sakaoku, K.: *see* Mori, A., 325
Sakurai, Y.: *see* Yui, N., 409
Salovey, R.: *see* Clarke, I.C., 177
Sanui, K.: *see* Yui, N., 409
Seedhom, B.B.: *see* Atkinson, P.J., 75
Serne, H.: *see* Kanmangne, F.M., 297
Sharma, C.P.: *see* Chandy, T., 415
Shen, C. Controlled release of fluoride in connection with dental composite resins, 383
Shepherd, R.K., Murray, M.T., Houghton, M.E. and Clark, G.E. Scanning electron microscopy of chronically stimulated platinum intracochlear electrodes, 237
Shimoni, T.: *see* Horowitz, D., 9
Skorecki, J.: *see* Yao, Z.X., 208
Singer, L.: *see* Okazaki, M., 277
Sisido, M.: *see* Sosa, K., 321
Snyder, R.: *see*Guidoin, R., 122
Somogyi, E.: *see* Nemes, A., 303
Sosa, K., Mori, A., Sisido, M. and Imanishi, Y. Synthesis of polyetherurethanes containing L-serine dipeptides and their use as materials for biomedical films, 312
Sotonyi, P.: *see* Nemes, A., 303
Sramek, B.: *see* Rypacek, F., 203
Starkebaum, W.: *see* Clarke, I.C., 177
Stea, S.: *see* Pizzoferrato, A., 346
Stol, M., Tolar, M. and Adam, M. Poly (2-hydroxyethyl methacrylate) collagen composites which promote muscle cell differentiation *in vitro*, 193
Suoninen, E. and Herø, H.: The structure and oxidation of two palladium ceramic fusing alloys, 133
Syrjanen, S., Hensten-Pettersen, A., Kangasniem, K. and Yli-Urpo, A. *In vitro* and *in vivo* biological responses to some dental alloys tested separately and in combinations, 169
Taenaka, Y.: *see* Hayashi, K., 82
Takano, H.: *see* Hayashi, K., 82
Tanzi, M.C., Barozzi, C., Tieghi, G., Ferrara, R., Casini, G. and Tempesti, F. Heparinizable graft copolymers from chlorosuphonated polyethylene with poly (amido-amine) segments, 273
Tapon-Bretaudière, J.: *see* Fischer, A.M., 198
Tempesti, F.: *see* Barbucci, R., 102
see Tanzi, M.C., 273
Thomsen, P. and Ericson, L.E. Light and transmission electron microscopy used to study the tissue morphology close to implants, 421
Tieghi, G.: *see* Tanzi, M.C., 273
Tighe, B.J.: *see* Lydon, M.J., 396
Tobias, R.S.: *see* Browne, R.M., 41
Tolar, M., *see* Stol, M., 193
Tyas, M.J.: *see* Browne, R.M., 41
see Cook, W.D., 362
Umezu, M., *see* Hayashi, K., 82
van Aken, W.G.: *see* van Wachem, P.B., 407
van Blitterswijk, C.A., Grote, J.J., Kuypers, W., Blok-van-Hoek, C.J.G. and Daems. W.Th. Bioreactions at the tissue hydroxyapatite interface, 243
van der Lubbe, H.B.M.: *see* Klein, C.P.A.T., 189
van Noort, R.: *see*, Brook, I.M., 281
see Lamb, D.J., 110
van Peteghem, A.P.: *see* Lemaitre, L., 425
van Wachem. P.B., Beugeling, T., Feijen, J., Bantjes, A. Detmers, J.P. and van Aken, W.G. Interaction of cultured human endothelial cells with polymeric surfaces of different wettabilities, 407
VanWagenen, R.A.: *see* Chen, J., 231
Vespucci, A.: *see* Pizzoferrato, A., 346
see Leake, D., 17
von Recum, A.F.: *see* Feldman, D.S., 352
Weightman, B. and Light, D. A comparison of RCH 1000 and Hi-Fax 1900 ultra-high molecular weight polyethylenes, 177
Wells, J.G. and Rawlings, R.D. Acoustic emission and mechanical properties of trabecular bone, 218
Williams, K.R., Blaney, A.W., Frootko. N.J. and Ashton, B.A. A scanning electron microscopy study of the interface between ceramics and bone, 269
Wilson, A.D., Groffman, D. M. and Kuhn, A.T. Release of fluoride and other chemical species from a glass-isonomer cement, 431
Wilson, A.D.: *see* Kuhn, A.T., 378
Wilson, S.J.: *see* Browne, R.M., 41
Wolf, H.: *see* Petzoldt, R., 105
Yamada, S.: *see* Aiba, S.I., 290
Yao, Z.X. and Skorecki, J. Artificial encapsulation of joint prostheses, 208
Yli-Urpo, A.: *see* Syrjanen, S., 169
Young, F.A.: *see* Keller, J.C., 252
Young, R.: *see* Clarke, I.C., 177
Yui, N., Sanui, K., Ogata, N., Kataoka, K., Okano, T. and Sakurai, Y. Reversibility of granulocyte adhesion using polyamine-grafted nylon-6 as a new column substrate for granulocyte separation, 409
Zardiackas, L.D. and Bayne, S.C.: Fatigue characterization of nine dental amalgams, 49